

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
1: Beaches-----	85	Not rated		Not rated	
2: Bestpitch-----	45	Very limited Flooding Restricted permeability Depth to saturated zone Subsidence Filtering capacity	1.00 1.00 1.00 1.00 1.00	Very limited Flooding Content of organic matter Depth to saturated zone Seepage	1.00 1.00 1.00 1.00
Transquaking-----	35	Very limited Flooding Restricted permeability Depth to saturated zone Subsidence Filtering capacity	1.00 1.00 1.00 1.00 1.00	Very limited Flooding Content of organic matter Depth to saturated zone Seepage	1.00 1.00 1.00 1.00
3: Chicone-----	75	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
4C: Downer-----	100	Very limited Filtering capacity	1.00	Not Rated Not Rated Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
5A: Downer-----	100	Very limited Filtering capacity	1.00	Not Rated Not Rated Seepage	1.00
5B: Downer-----	100	Very limited Filtering capacity	1.00	Not Rated Not Rated Seepage Slope	1.00 0.32
6: Elkton-----	80	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated Depth to saturated zone	1.00
7: Elkton-----	80	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated Depth to saturated zone	1.00
8: Elkton-----	80	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Not Rated Not Rated Depth to saturated zone Seepage	1.00 0.50
9C: Evesboro-----	100	Very limited Filtering capacity	1.00	Not Rated Not Rated Seepage Slope	1.00 1.00
9E: Evesboro-----	100	Very limited Slope Filtering capacity	1.00 1.00	Not Rated Not Rated Slope Seepage	1.00 1.00
10: Fallsington-----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Not Rated Not Rated Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
11: Fluvaquents-----	85	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Not Rated Not Rated Flooding Seepage Depth to saturated zone	1.00 1.00 1.00 1.00
12A: Fort Mott-----	100	Not limited		Not Rated Not Rated Seepage	1.00
12B: Fort Mott-----	100	Very limited Filtering capacity	1.00	Not Rated Not Rated Seepage Slope	1.00 0.32
13E: Fort Mott-----	35	Very limited Slope Filtering capacity	1.00 1.00	Not Rated Not Rated Slope Seepage	1.00 1.00 1.00
Evesboro-----	30	Very limited Slope Filtering capacity	1.00 1.00	Not Rated Not Rated Slope Seepage	1.00 1.00 1.00
Downer-----	20	Very limited Slope Filtering capacity	1.00 1.00	Not Rated Not Rated Slope Seepage	1.00 1.00 1.00
14A: Galestown-----	100	Very limited Filtering capacity	1.00	Not Rated Not Rated Seepage	1.00
14B: Galestown-----	100	Very limited Filtering capacity	1.00	Not Rated Not Rated Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
15A: Hambrook-----	100	Very limited Restricted permeability Filtering capacity Depth to saturated zone	1.00 1.00 0.40	Not Rated Not Rated Seepage	1.00
15B: Hambrook-----	100	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Not Rated Not Rated Seepage Slope	1.00 0.32
16: Hammonton-----	100	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Not Rated Not Rated Seepage Depth to saturated zone	1.00 1.00
17: Honga-----	80	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Content of organic matter Depth to saturated zone Seepage	1.00 1.00 1.00 1.00
18: Hurlock-----	80	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Not Rated Not Rated Depth to saturated zone Seepage	1.00 1.00
19A: Ingleside-----	100	Very limited Restricted permeability Filtering capacity Depth to saturated zone	1.00 1.00 0.40	Not Rated Not Rated Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
19B: Ingleside-----	100	Very limited Restricted permeability Depth to saturated zone	1.00  0.40	Not Rated Not Rated Seepage Slope	  1.00 0.32
20: Keyport-----	80	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00  1.00 1.00	Not Rated Not Rated Seepage Depth to saturated zone	  1.00 0.96
21: Klej-----	40	Very limited Depth to saturated zone Filtering capacity	1.00  1.00	Not Rated Not Rated Seepage Depth to saturated zone	  1.00 1.00
Hammonton-----	30	Very limited Depth to saturated zone Filtering capacity	1.00  1.00	Not Rated Not Rated Seepage Depth to saturated zone	  1.00 1.00
22A: Matapeake-----	100	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00  0.68 0.40	Not Rated Not Rated Seepage	  1.00
22B: Matapeake-----	100	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00  0.68 0.40	Not Rated Not Rated Seepage Slope	  1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
23: Mattapex-----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Not Rated Not Rated Seepage Depth to saturated zone	1.00 1.00
24A: Mattapex-----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Not Rated Not Rated Seepage Depth to saturated zone	1.00 1.00
24B: Mattapex-----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Not Rated Not Rated Depth to saturated zone Seepage Slope	1.00 1.00 0.32
25: Nanticoke-----	70	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 1.00	Very limited Flooding Content of organic matter Depth to saturated zone	1.00 1.00 1.00
26: Othello-----	80	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Not Rated Not Rated Depth to saturated zone Seepage	1.00 1.00
27: Othello-----	50	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Content of organic matter Seepage Depth to saturated zone	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Kentuck-----	30	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Content of organic matter Seepage Depth to saturated zone	1.00 1.00 1.00
28: Pone-----	80	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Not Rated Not Rated Depth to saturated zone Seepage	1.00 1.00
29: Pone-----	80	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Content of organic matter Depth to saturated zone Seepage	1.00 1.00 1.00
30: Puckum-----	80	Very limited Flooding Depth to saturated zone Subsidence	1.00 1.00 1.00	Very limited Flooding Content of organic matter Depth to saturated zone Seepage	1.00 1.00 1.00
31A: Runclint-----	100	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Not Rated Not Rated Seepage	1.00
31B: Runclint-----	100	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Not Rated Not Rated Seepage Slope	1.00 0.32
32: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Not Rated Not Rated Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
33: Sunken-----	80	Very limited Flooding Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00 1.00	Very limited Flooding Content of organic matter Depth to saturated zone Seepage	1.00 1.00 1.00 0.50
34: Udorthents-----	90	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Not Rated Not Rated Seepage Slope Depth to saturated zone	1.00 1.00 1.00 1.00
35: Woodstown-----	80	Very limited Depth to saturated zone	1.00	Not Rated Not Rated Depth to saturated zone Seepage	1.00 1.00
36A: Woodstown-----	80	Very limited Depth to saturated zone	1.00	Not Rated Not Rated Depth to saturated zone Seepage	1.00 1.00
36B: Woodstown-----	80	Very limited Depth to saturated zone	1.00	Not Rated Not Rated Depth to saturated zone Seepage Slope	1.00 1.00 1.00 0.32
W: Water-----	100	Not rated		Not rated	



